





ATX

ILL#	Part#		QTY	REF#
OVERHAUL KITS				
NI.....	K86900.....	Overhaul Kit, ATX 1981-Up	1.....	N/A
MASTER L/STEEL KITS				
NI.....	DK8600S.....	Master L/Steels Kit, ATX 1981-91.....	1.....	N/A
NI.....	DK8600AS.....	Master L/Steels Kit, ATX 1992-Up.....	1.....	N/A
MASTER W/STEELS KITS				
NI.....	DK8600.....	Master W/Steels Kit, ATX 1981-91	1.....	N/A
NI.....	DK8600A.....	Master W/Steels Kit, ATX 1992-Up.....	1.....	N/A
FILTERS				
010.....	86422.....	Filter, ATX 1981-Up	1.....	E9FZ-7A098-A
FILTER KITS				
011.....	FK86422.....	Filter Kit, ATX 1981-Up.....	1.....	TBA
MISCELLANEOUS FILTERS				
014.....	86423.....	Filter, ATX Governor	1.....	E1FZ-7E242-A
BANDS				
022.....	86320.....	Band, ATX Low/Intermediate 1981-84.....	1.....	E1FZ-7D034-B
022.....	86320A.....	Band, ATX Low/Intermediate 1985-Up	1.....	E9FZ-7D034-A
BUSHINGS				
030.....	K86905.....	Bushing Kit, ATX 1981-Up.....	1.....	TBA
031.....	86001.....	Bushing, ATX Converter Hub 1981-Up.....	1.....	E1EP-7N805-A
032.....	86011.....	Bushing, ATX Converter Reactor 1981-Up.....	1.....	E1EP-7F437-A
035.....	86000.....	Bushing, ATX Inner Pump Gear 1981-Up.....	1.....	E1EP-7B259-A
036.....	86002.....	Bushing, ATX Stator 1981-Up.....	1.....	TBA
046.....	86005.....	Bushing, ATX Direct Drum 1981-Up.....	1.....	E1EP-7F233-A
046.....	86005X.....	Bushing, ATX Direct Clutch (Oversize) 1981-Up.....	1.....	TBA
046.....	86004.....	Bushing, ATX Turbine Shaft 1981-Up.....	1.....	E1EP-7F214-A
052.....	86006.....	Bushing, ATX Sun Gear (Use 66058).....	1.....	E1EP-7D065-A
058.....	86006.....	Bushing, ATX Planet & Sun Gear 1981-Up	1-2.....	E1EP-7D065-A
060.....	86003.....	Bushing, ATX Planet Ring Gear (Top Hat Style) 1981-Up.....	1.....	E1EP-7F440-A
064.....	86010.....	Bushing, ATX Transfer Housing 1981-Up.....	1.....	E1EP-7F366-A
METAL CLAD SEALS				
070.....	86151.....	Seal, ATX Front 1981-Up.....	1.....	E6FZ-7F401-A
072.....	86153.....	Seal, ATX Linkage 1981-Up	1.....	E1FZ-7B498-A
073.....	76511.....	Seal, ATX Throttle Lever 1981-Up.....	1.....	E0AZ-7F337-A
076.....	86152.....	Seal, ATX Axle (Both) 1981-Up	1-2.....	E1FZ-1177-A
077.....	86152.....	Seal, ATX Axle (Differential Retainer Side).....	1.....	EF1Z-1177-A
FRICTIONS				
104.....	86504.....	Friction, ATX Intermediate & Reverse Clutch (.078") 1981-91	4-6.....	E1FZ-7B164-B
104.....	86504A.....	Friction, ATX Intermediate & Reverse Clutch (.078") 1992-Up	4-6.....	F23Z-7B164-B
106.....	86304.....	Friction, ATX Direct Clutch (.076") 1981-Up	3-4.....	E1FZ-7B164-A
119.....	K86F.....	Friction Module, ATX 1981-91	1.....	TBA
119.....	K86AF.....	Friction Module, ATX 1992-Up.....	1.....	TBA
STEELS				
124.....	86405.....	Steel, ATX Intermediate Clutch (.070") (6 5/8" ID) 1981-91.....	2-3.....	E2FZ-7B442-A
124.....	86405A.....	Steel, ATX Intermediate Clutch (.070") (6 1/16" ID) 1992-Up	3.....	F23Z-7B442-A
126.....	86305.....	Steel, ATX Direct Clutch (.070") 1981-Up.....	3-4.....	E1FZ-7B442-A
130.....	86505.....	Steel, ATX Reverse Clutch (.070") 6.37" ID 1981-91.....	2-3.....	E1FZ-7B442-C
130.....	86505A.....	Steel, ATX Reverse Clutch (.070") Smaller ID 6.14" ID 1992-Up	3.....	F23Z-7B442-B
139.....	K86S.....	Steel Module, ATX 1981-91.....	1.....	TBA
139.....	K86AS.....	Steel Module, ATX 1992-Up	1.....	TBA
PRESSURE PLATES				
144.....	86414.....	Pressure Plate, ATX Intermediate Clutch (6 5/8" ID) 1981-91.....	1.....	E23Z-7B066-A
144.....	86414A.....	Pressure Plate, ATX Intermediate Clutch (6 1/16" ID) 1992-Up	1.....	TBA
146.....	86415.....	Pressure Plate, ATX Direct Clutch 1981-Up.....	1.....	E1FZ-7B066-A
150.....	86416.....	Pressure Plate, ATX Reverse Clutch 1981-Up.....	1.....	F23Z-7B066-B
VALVE BODY KITS				

ILL#	Part#		QTY	REF#
165.....	K86908S.....	Valve Body Kit, ATX 1981-Up (Superior).....	1.....	KATX
165.....	K86908.....	Shift Kit, ATX 1981-Up (Transgo).....	1.....	SK@ FX

SEALING RINGS

175.....	K86902.....	Ring Kit, ATX (5ea-Metal) 1981-Up.....	1.....	TBA
175.....	K86901.....	Ring Kit, ATX (5ea-Teflon) 1981-Up.....	1.....	TBA
179.....	86210.....	Ring, ATX Intermediate Clutch (2.072" OD) (Metal) 1981-Up.....	3.....	E1FZ-7D020-A
179.....	86210T.....	Ring, ATX Intermediate Clutch (2.072" OD) (Teflon) 1981-Up.....	3.....	E1FZ-7D020-A
183.....	86211.....	Ring, ATX Direct Clutch (1.572" OD) (Metal) 1981-Up.....	2.....	E1FZ-7D019-A
183.....	86211T.....	Ring, ATX Direct Clutch (1.572" OD) (Teflon) 1981-Up.....	2.....	E1FZ-7D019-A

WASHERS & BEARINGS

200.....	K86907.....	Washer Kit, ATX 1981-Up.....	1.....	TBA
201.....	K86906.....	Bearing Kit, ATX (Torrington) 1981-Up.....	1.....	TBA
210.....	86460AA.....	Washer, ATX Stator (.046") (# EA) 1981-Up.....	1.....	E1FZ-7D014-E
210.....	86460AB.....	Washer, ATX Stator (.056") (# AA) 1981-Up.....	1.....	E1FZ-7D014-A
210.....	86460AC.....	Washer, ATX Stator (.064") (# BA) 1981-Up.....	1.....	E1FZ-7D014-B
210.....	86460AD.....	Washer, ATX Stator (.072") (# CA) 1981-Up.....	1.....	E1FZ-7D014-C
210.....	86460AE.....	Washer, ATX Stator (.080") (# DA) 1981-Up.....	1.....	E1FZ-7D014-D
211.....	86406E.....	Bearing W/Races, ATX Stator To Intern Drum (.140") Replaces Orig Washer 1981-Up.....	1.....	E1FZ-7F374-A
NI.....	86406A.....	Bearing W/Races, ATX Stator To Intern Drum (.187") Replaces Orig Washer 1981-Up.....	1.....	TBA
211.....	86406B.....	Bearing W/Races, ATX Stator To Intern Drum (.196") Replaces Orig Washer 1981-Up.....	1.....	TBA
NI.....	86406C.....	Bearing W/Races, ATX Stator To Intern Drum (.204") Replaces Orig Washer 1981-Up.....	1.....	TBA
NI.....	86406D.....	Bearing W/Races, ATX Stator To Intern Drum (.212") Replaces Orig Washer 1981-Up.....	1.....	TBA
226.....	86461.....	Bearing, ATX Intermediate Drum To Direct Drum 1981-92.....	1.....	E1FZ-7F373-A
226.....	86461BA.....	Washer, ATX Intermediate Drum To Direct Drum 1992-Up.....	1.....	TBA
229.....	86449.....	Bearing, ATX Direct Drum To Sprag 1981-Up.....	1.....	E1FZ-7A623-A
232.....	86427.....	Washer, ATX Direct Drum To Sun Gear (4 Tab) 1981-Up.....	1.....	E1FZ-7F369-A
251.....	86428.....	Washer, ATX Planet To Sun Gear Drum (Front) (3-Tab) 1981-Up.....	1.....	E1FZ-7D423-A
254.....	86437.....	Bearing, ATX Ring Gear To Planet (Rear) 1981-Up.....	1.....	E1FZ-7F473-A
257.....	86431.....	Washer, ATX Low/Intermediate Drum To Final Drive Housing(3-Tab) 1981-Up.....	1.....	E1FZ-7F368-A
268.....	86465.....	Bearing, ATX Final Drive Gear To Final Drive Housing 1981-Up.....	1.....	E1FZ-7F405-A
271.....	86464.....	Caged Needle Bearing, ATX Final Drive Input Gear (.775" Long) 1981-E83.....	1.....	E1FZ-7F403-A
271.....	86464A.....	Caged Needle Bearing, ATX Final Drive Input Gear (.845" Long) L1983-Up.....	1.....	F2FZ-7F403-A
272.....	86463.....	Bearing, ATX Final Drive Gear To Case 1981-Up.....	1.....	E1FZ-7F404-A
275.....	86125LRB.....	Axle Stabilizer, ATX (Teckpak) 1981-Up.....	1.....	86125LRB
279.....	86099.....	Caged Needle Bearing, ATX Final Drive Housing To Input Gear 1981-Up.....	1.....	E1FZ-7F380-A
282.....	86439C.....	Cup Race, ATX Idler Gear (Fits 31 & 39 Teeth Gears) 1981-Up.....	2.....	JLM67041P
283.....	86439B.....	Cone Bearing, ATX Idler Gear (Fits 31 & 39 Teeth Gears) 1981-Up.....	2.....	JLM67020P
284.....	86539-Z5.....	Shim Kit, ATX Idler Gear (.005") (10 Per Pack) 1981-Up (Sonnax).....	1.....	86539-Z5
288.....	86098C.....	Cup Race, ATX Differential (Both Sides) 1981-E83.....	2.....	TBA
289.....	86098.....	Cone Bearing, ATX Differential (Both Sides) 1981-E83.....	2.....	E1FZ-4221-B
289.....	86097.....	Ball Bearing, ATX Differential (Both Sides) L1983-Up.....	2.....	E3FZ-4221-B
290.....	86433A.....	Shim, ATX Differential Ball Bearings (Both Sides) L1983-Up.....	2.....	E3FZ-4067-A

GASKETS & RUBBER COMPONENTS

300.....	86500.....	Gasket, ATX Bottom Pan (Cork) 1981-Up.....	1.....	TBA
302.....	86501.....	Gasket, ATX Control Cover (Top Pan) (Cork) 1981-Up.....	1.....	E1FZ-7F396-A
303.....	86549.....	Gasket, ATX Differential Retainer 1985-Up.....	1.....	E5FZ-7G345-A
310.....	86502.....	Gasket, ATX Pump 1981-Up.....	1.....	E1FZ-7A136-A
311.....	86503.....	O-Ring, ATX Pump 1981-Up.....	1.....	E1FZ-7A248-A
320.....	86525.....	Gasket, ATX Valve Body (Upper) 1981-Up.....	1.....	E8FZ-7D100-A
321.....	86526.....	Gasket, ATX Valve Body (Lower) 1981-Up.....	1.....	E8FZ-7C155-A
332.....	86531.....	Lip Seal, ATX Intermediate Clutch (Inner) 1981-Up.....	1.....	E1FZ-7F225-A
333.....	86530.....	Lip Seal, ATX Intermediate Clutch (Outer) 1981-Up.....	1.....	E1FZ-7F224-A
336.....	86533.....	Lip Seal, ATX Direct Clutch (Inner) 1981-Up.....	1.....	E5FZ-7C099-A
337.....	86337.....	Lip Seal, ATX Direct Clutch (Outer).....	1.....	TBA
338.....	86535.....	Lip Seal, ATX Reverse Clutch (Inner) 1981-Up.....	1.....	E1FZ-7D404-A
339.....	86534.....	Lip Seal, ATX Reverse Clutch (Outer) 1981-Up.....	1.....	E1FZ-7D403-A
339.....	86546.....	Seal, ATX Reverse Clutch Housing (Outer) 1981-Up.....	1.....	E1FZ-7A548-A
345.....	86545.....	Seal, ATX Governor Cover 1981-Up.....	1.....	N801011-S
361.....	86540.....	Lip Seal, ATX Low/Intermediate Servo (Large) 1981-Up.....	1.....	E1FZ-7D024-A
361.....	86539.....	Lip Seal, ATX Low/Intermediate Servo (Small) 1981-82.....	1.....	E1FZ-7D025-A
361.....	86539A.....	Lip Seal, ATX Low/Intermediate Servo (Small) (2.281" ID) 1983-84.....	1.....	E3FZ-7D025-A
361.....	86539B.....	Lip Seal, ATX Low/Intermediate Servo (Small) (2.309" ID) 1985-Up.....	1.....	E4FZ-7D025-A
361.....	86539C.....	Lip Seal, ATX Low/Intermediate Servo (Small) 1985-Up.....	1.....	E5FZ-7D025-A
361.....	86539D.....	Lip Seal, ATX Low/Intermediate Servo (Small) (2.281" ID) 1986-Up.....	1.....	E6FZ-7D025-A
362.....	86542.....	O-Ring, ATX Low/Intermediate Servo Cover.....	2-3.....	E1FZ-7D026-A

ATX

ILL#	Part#		QTY	REF#
369	3544	O-Ring, ATX Speed-O Housing 1981-Up	1	E0AZ-7F337-A
371	3291	O-Ring, ATX Filler Tube 1981-82	1	6264902
371	3292	Boot, ATX Filler Tube 1983-Up	1	1259475
374	86548	O-Ring, ATX Idler Gear Shaft 1981-Up	1	N800679-S
379	86543	Seal, ATX Oil Filter Gasket 1981-Up	1	E1FZ-7E062-A
387	86544	L/C Seal, ATX Differential Retainer 1981-Up	1	TBA

TECHNICAL MANUALS

400	TMATX	Technical Manual, ATX 1981-Up	1	83-ATXTM
-----	-------	-------------------------------	---	----------

ELECTRICAL COMPONENTS

410	86947	Neutral Switch, ATX 1981-Up	1	E1FZ-7A247-A
-----	-------	-----------------------------	---	--------------

MISCELLANEOUS COMPONENTS

NI	30126	Union, 5/16"	1	TBA
487	26710	Grommet, ATX Linkage Small	1	D4AZ-7341-A
487	26712	Grommet, ATX Linkage Medium	1	TBA
487	26711	Grommet, ATX Linkage Large	1	TBA
487	26713C	Grommet, ATX Passing Gear (Narrow Groove) Green	1	E0AZ-7F330-A
487	26713B	Grommet, ATX Passing Gear (Wide Groove)	1	TBA
487	26713	Grommet, ATX Passing Gear (Narrow Groove) Yellow	1	TBA
487	30131	E-Clips, ATX Linkage 1981-Up	1	TBA
496	31289	Retaining Clip, ATX Cooler Line (Push In) (Teckpak)	1	S-190

PUMPS & PUMP COMPONENTS

500	86424	Pump, ATX Washer Type (3 Holes For #210) Can Use 86424A	1	E1FZ-7A103-A
500	86424A	Pump, ATX Bearing Type (Can Use 86424)	1	TBA
510	86426	Pump Body W/Gears, ATX 1981-Up	1	E1AZ-7D043-A
520	86425	Stator, ATX Washer Type (3 Holes For #210)	1	E6FZ-7A108-A
520	86425A	Stator, ATX Bearing Type	1	TBA
528	86865	Sleeve, ATX Converter Turbine (Goes Inside Converter) 1981-Up	1	E7SZ-7A878-A
529	86450	Converter Reactor, ATX With 1/2" Converter Splines 1981-85	1	E1FZ-7A108-A
529	86450A	Converter Reactor, ATX With 7/16" Converter Splines 1986-L87	1	E6FZ-7A108-A
529	86450B	Converter Reactor, ATX With 1/2" Converter Splines L1987-Up	1	TBA
530	K86201	Gear Set, ATX Pump 1981-Up	1	TBA
543	86408	Insert, ATX Oil Pump Drive Gear 1981-Up	1	E1FZ-7F402-A

DRUMS

552	86411	Drum, ATX Intermediate Clutch (4 Clutch) 1981-Up	1	E1FZ-7D044-A
552	86411B	Drum, ATX Intermediate Clutch (6 Clutch) 1983-Up	1	E3FZ-7D044-A
555	86429	Drum, ATX Direct Clutch W/Shaft (3 Clutch) (Uses A Bearing # 226) 1981-92	1	E4FZ-7F283-A
555	86429A	Drum, ATX Direct Clutch W/Shaft (4 Clutch) (Uses A Bearing # 226) 1981-92	1	E4FZ-7F283-B
555	86429B	Drum, ATX Direct Clutch W/Shaft (3 Clutch) (Uses A Washer # 226) 1992-Up	1	TBA
557	86636	Drum, ATX Low/Intermediate W/Sun Gear (52 Teeth) 1st Design 1981-84	1	E1FZ-7A626-A
557	86636A	Drum, ATX Low/Interm W/Sun Gear (56 Teeth) (5/8" Wide) 2nd Design 1984-87	1	E4FZ-7A626-A
557	86636B	Drum, ATX Low/Interm W/Sun Gear (56 Teeth) (3/4" Wide) 3rd Design 1988-Up	1	E7FZ-7A626-A
562	K86762A	Piston Kit, ATX Intermediate Clutch 1981-Up	1	TBA
565	K86763A	Piston Kit, ATX Direct Clutch 1981-Up	1	TBA
566	K86764A	Piston Kit, ATX Reverse Clutch 1981-Up	1	TBA

PLANETS, RING GEARS & SUN GEARS

584	86440	Planet, ATX 1st Design (29 Teeth Sun Gear # 614) 1981-E85	1	E1FZ-7A398-A
584	86440A	Planet, ATX 2nd Design (31 Teeth Sun Gear # 614) L1985-86	1	E4FZ-7A398-A
584	86440B	Planet, ATX 3rd Design "Split" (31 Teeth Sun Gear # 614) 1987-Up	1	E2FZ-7A398-A
594	86442	Ring Gear, ATX Planet 1st Design (29 Teeth Sun Gear # 614) 1981-E85	1	E3FZ-7A153-A
594	86442A	Ring Gear, ATX Planet 2nd Design (31 Teeth Sun Gear # 614) L1985-86	1	E4FZ-7A153-A
594	86442B	Ring Gear, ATX Planet 3rd Design (31 Teeth Sun Gear # 614) 1987-Up	1	E7FZ-7A153-A
594	86442C	Ring Gear, ATX Planet 4th Design (31 Teeth Sun Gear # 614) 1987-Up (Angled Teeth On Inside Are 7/8" Long That Planet Rides On)	1	TBA
614	86453	Sun Gear, ATX 1st/3rd/Reverse (29 Teeth) 1981-E85	1	E3FZ-7N107-A
614	86453A	Sun Gear, ATX 1st/3rd/Reverse (31 Teeth) L1985-Up	1	E4FZ-7N107-A
614	86453B	Sun Gear, ATX 1st/3rd/Reverse (31 Teeth) Use With "Split Planet" 7/86-Up	1	TBA

SPRAGS & ONE WAY CLUTCHES

652	86239	Sprag, ATX Intermediate 1981-Up	1	E1FZ-7A089-A
-----	-------	---------------------------------	---	--------------

SHAFTS & GOVERNORS

671	86409S	Pump Shaft, ATX Oil Pump Drive 1981-Up	1	E1FZ-7B328-A
674	86410	Shaft, ATX Intermediate 1981-Up	1	E1FZ-7F351-A

ILL#	Part#		QTY	REF#
679.....	86616S.....	Shaft, ATX Idler 1981-Up.....	1.....	TBA
680.....	86412.....	Governor, ATX (10 Teeth, 1 Spring) 1981-Up.....	1.....	E1FZ-7C053-B
680.....	86412F.....	Governor, ATX (10 Teeth, 2 Spring) 1981-Up.....	1.....	TBA
681.....	86412-01.....	Pin, ATX Governor Body To Weights 9181-Up (Sonnax).....	2.....	86412-01
683.....	86420.....	Gear, ATX Speed-O Drive Gear (2 Lug).....	1.....	E3FZ-17285-B
683.....	86420B.....	Gear, ATX Speed-O Drive Gear (4 Lug).....	1.....	E8FZ-17285-A
683.....	86420A.....	Gear, ATX Speed-O Drive Gear (Split Link) (For 2 Lug).....	1.....	TBA
684.....	K86413.....	Gear, ATX Governor Gear Kit 1981-Up.....	1.....	E2FZ-7F419-A
686.....	86443A.....	Cover, ATX Governor 1981-Up.....	1.....	TBA
687.....	86443B.....	Retainer, ATX Governor Cover 1981-Up.....	1.....	TBA

DIFFERENTIALS & COMPONENTS

710.....	86615.....	Gear, ATX Final Drive Input (20 Teeth) (2 9/16" Long) 1981-Up.....	1.....	E3FZ-7F342-A
710.....	86615A.....	Gear, ATX Final Drive Input (22 Teeth) (2 9/16" Long) 1981-Up.....	1.....	E4FZ-7F342-A
710.....	86615B.....	Gear, ATX Final Drive Input (23 Teeth) (2 9/16" Long) 1981-Up.....	1.....	TBA
710.....	86615C.....	Gear, ATX Final Drive Input (23 Teeth) (1 3/4" Long) 1981-Up.....	1.....	TBA
710.....	86615D.....	Gear, ATX Final Drive Input (26 Teeth) (2 9/16" Long) 1981-Up.....	1.....	TBA
710.....	86615E.....	Gear, ATX Final Drive Input (27 Teeth) (1 3/4" Long) (2 7/8" OD Of Gear) 1981-Up.....	1.....	E6FZ-7F342-A
710.....	86615FA.....	Gear, ATX Final Drive Input (27 Teeth) (1 3/4" Long) (2 11/16" OD Of Gear) 1981-Up.....	1.....	TBA
710.....	86615F.....	Gear, ATX Final Drive Input (27 Teeth) (2 9/16" Long) (2 7/8" OD Of Gear) 1981-Up.....	1.....	TBA
710.....	86615EA.....	Gear, ATX Final Drive Input (27 Teeth) (2 9/16" Long) (2 11/16" OD Of Gear) 1981-Up.....	1.....	TBA
710.....	86615G.....	Gear, ATX Final Drive Input (29 Teeth) (2 9/16" Long) 1981-Up.....	1.....	TBA
710.....	86615H.....	Gear, ATX Final Drive Input (31 Teeth) (2 9/16" Long) 1981-Up.....	1.....	TBA
710.....	86615I.....	Gear, ATX Final Drive Input (33 Teeth) (2 9/16" Long) 1981-Up.....	1.....	TBA
710.....	86615J.....	Gear, ATX Final Drive Input (34 Teeth) (2 9/16" Long) 1981-Up.....	1.....	TBA
714.....	86616.....	Idler Gear W/Bearing, ATX (26 Teeth) 1981-Up.....	1.....	TBA
714.....	86616A.....	Idler Gear W/Bearing, ATX (28 Teeth) 1981-Up.....	1.....	TBA
714.....	86616J.....	Idler Gear W/Bearing, ATX (31 Teeth) (Bearing # RTR0506M) 1981-Up.....	1.....	TBA
714.....	86616B.....	Idler Gear W/Bearing, ATX (31 Teeth) (Bearing # 4T-CR0584PX2) 1981-Up.....	1.....	TBA
714.....	86616BA.....	Idler Gear W/Bearing, ATX (31 Teeth) (Bearing # 57446) 1981-Up.....	1.....	TBA
714.....	86616BB.....	Idler Gear W/Bearing, ATX (31 Teeth) (Bearing # JLM67041P) 1981-Up.....	1.....	E4FZ-7F475-A
714.....	86616D.....	Idler Gear W/Bearing, ATX (34 Teeth) 1981-Up.....	1.....	E73Z-7F475-A
714.....	86616C.....	Idler Gear W/Bearing, ATX (39 Teeth) (Bearing # JLM67041P) 1981-Up.....	1.....	E6TZ-7F475-A
714.....	86616CA.....	Idler Gear W/Bearing, ATX (39 Teeth) (Bearing # 4T-CR-0584PX2) 1981-Up.....	1.....	TBA
714.....	86616E.....	Idler Gear W/Bearing, ATX (40 Teeth) 1981-Up.....	1.....	TBA
714.....	86616F.....	Idler Gear W/Bearing, ATX (41 Teeth) 1981-Up.....	1.....	TBA
714.....	86616G.....	Idler Gear W/Bearing, ATX (45 Teeth) 1981-Up.....	1.....	TBA
715.....	86445A.....	Differential Assembly, ATX (71 Teeth) (Ball Bearing Type) L1983-Up.....	1.....	31466-20300
715.....	86455B.....	Differential Assembly, ATX (83 Teeth) (Ball Bearing Type) L1983-Up.....	1.....	TBA
715.....	86445C.....	Differential Assembly, ATX (86 Teeth) (Tapered Bearing Type) 1981-E83.....	1.....	TBA
715.....	86455.....	Differential Assembly, ATX (86 Teeth) (Ball Bearing Type) L1983-Up.....	1.....	TBA
715.....	86455D.....	Differential Assembly, ATX (88 Teeth) (Ball Bearing Type) (1.029" ID Axle) L1983-Up.....	1.....	TBA
715.....	86455DA.....	Diff Assy, ATX (88 Teeth) (Ball Bearing Type) (1.112" ID Axle, 23 Splines) L1983-Up.....	1.....	TBA
715.....	86455DB.....	Diff Assy, ATX (88 Teeth) (Ball Bearing Type) (1.112" ID Axle, 25 Splines) L1983-Up.....	1.....	TBA
725.....	86852.....	Retainer, ATX Differential (Aluminum, Tapered Bearing Type) 1981-E83.....	1.....	E1FZ-7F447-A
725.....	86853.....	Retainer, ATX Differential (Aluminum, Ball Bearing Type) L1983-E85.....	1.....	E3FZ-7F447-A
725.....	86854.....	Retainer, ATX Differential (Steel, Ball Bearing Type) L1985-Up (Can Use 86853).....	1.....	E5FZ-7F447-A
735.....	86612.....	Housing, ATX Final Drive Gear (Cast # 7F334) 1981-84.....	1.....	TBA
735.....	86612A.....	Housing, ATX Final Drive Gear (Cast # RFE2) 1985-86.....	1.....	TBA
735.....	86612B.....	Housing, ATX Final Drive Gear (Cast # RE6EP) L1986-Up.....	1.....	TBA

VALVE BODIES (DACCO VB#)

740.....	FD-3305.....	Valve Body, ATX Planet Type 1981-Up.....	1.....	TBA
740.....	FD-3306.....	Valve Body, ATX CLC Type, 6 Check Balls 1987-Up.....	1.....	TBA
740.....	FD-3307.....	Valve Body, ATX FLC Type, 7 Check Balls 1987-Up.....	1.....	TBA

VALVE BODIES

740.....	86940.....	Valve Body, ATX 1981-82.....	1.....	TBA
740.....	86940A.....	Valve Body, ATX 1983-86.....	1.....	TBA
740.....	86940C.....	Valve Body, ATX 1987-Up.....	1.....	TBA

VALVE BODY COMPONENTS

741.....	86940-01.....	Sleeve, ATX Throttle Valve Sleeve (In Valve Body) (Sonnax).....	1.....	86940-01
741.....	86940-03.....	Sleeve, ATX Throttle Control Valve Sleeve (Sonnax).....	1.....	86940-03
741.....	86940-02.....	Spring Set, ATX Throttle Control Valve (5 Per Set) (Sonnax).....	1.....	86940-02
741.....	86940-05K.....	Valve & Sleeve, ATX TV Boost (Sonnax).....	1.....	TBA

CASES, HOUSINGS & MISCELLANEOUS

ATX

ILL#	Part#		QTY	REF#
760	86600	Case, ATX 1.6L (W/Tapered Differential Bearing) 1981-E83	1	TBA
760	86600A	Case, ATX 1.6L (W/Roller Differential Bearing) L1983-84	1	TBA
760	86600B	Case, ATX 1.6L (W/4 Mounting Holes Above Differential) 1985	1	TBA
760	86600C	Case, ATX 1.6L (W/4 Mounting Holes Above Differential) 1986-Up	1	TBA
760	86600D	Case, ATX 2.5L (Taurus, Sable) 1986-Up	1	TBA
765	86801A	Pan, ATX Bottom (Early Blue) 1981-E85	1	TBA
765	86801B	Pan, ATX Bottom (Late, Gray or Black) L1985-86	1	TBA
765	86801C	Pan, ATX Bottom 1987-Up	1	TBA
767	86802A	Pan, ATX Top 1981-Up	1	TBA
774	86621	Housing, ATX Driven Speed-O 1981-Up	1	E7FZ-17K288-A
799	86616NT	Nut, ATX Idler Gear	1	TBA
848	86421A	Gear, ATX Driven Speed-O (23 Teeth) (Blue) 1981-UP	1	E5FZ-17271-A
848	86421B	Gear, ATX Speed-O Driven (25 Teeth) (Green) 1981-Up	1	E3FZ-17271-A
848	86421C	Gear, ATX Speed-O Driven (25 Teeth) (Black) 1981-Up	1	E6FZ-17271-A
848	86421D	Gear, ATX Speed-O Driven (26 Teeth) (Natural) 1981-Up	1	E1FZ-17271-A
852	86112A	Cushion, ATX Intermediate Clutch 1981-Up	1	TBA
854	86113A	Cushion, ATX Reverse Clutch 1981-Up	1	TBA
858	86114A	Cushion, ATX Direct Clutch 1981-Up	1	TBA
NI	K86928	Snap Ring Kit ATX, 1981-Up	1	51680
905	86528	Servo Assembly, ATX Low/Intermediate (W/No Groove Apply Pin) 1981-Up	1	TBA
905	86528A	Servo Assembly, ATX Low/Intermediate (W/1 Groove Apply Pin) 1981-Up	1	TBA
905	86528B	Servo Assembly, ATX Low/Intermediate (W/2 Groove Apply Pin) 1981-Up	1	TBA
905	86528C	Servo Assembly, ATX Low/Interm (W/3 Groove Apply Pin) (Cast # P) 1981-Up	1	TBA
905	86528D	Servo Assembly, ATX Low/Interm (W/3 Groove Apply Pin) (Cast # E) 1981-Up	1	TBA
905	86528E	Servo Assembly, ATX Low/Intermediate (W/4 Groove Apply Pin) 1981-Up	1	TBA
905	86528E	Servo Assembly, ATX Low/Intermediate (W/5 Groove Apply Pin) 1981-Up	1	TBA
906	86622	Spring, ATX Low/Intermediate Servo 1981-Up	1	TBA
907	86528AA	Piston, ATX Low/Intermediate Servo 1981-Up	1	TBA
908	86623	Pin, ATX Low/Interm Servo (*Specify: No Groove To 5 Groove*) 1981-Up	1	TBA
909	86624	Cover, ATX Low/Intermediate Servo 1981-Up	1	TBA
956	86625	Housing, ATX Reverse Piston 1981-Up	1	TBA
962	86762A	Piston, ATX Intermediate Clutch 1981-Up	1	TBA
965	86763A	Piston, ATX Direct Clutch 1981-Up	1	TBA
966	86764A	Piston, ATX Reverse Clutch 1981-Up	1	TBA
972	86856A	Retainer W/Spring, ATX Intermediate Clutch 1981-Up	1	E3FZ-7F222-A
975	86857A	Retainer W/Spring, ATX Direct Clutch 1981-Up	1	TBA
976	86858A	Retainer W/Spring, ATX Reverse Clutch 1981-Up	1	TBA
991	K86626	Linkage Assembly, ATX Internal 1981-Up	1	TBA
992	86627	Shift Lever, ATX External 1981-83	1	TBA
992	86627A	Shift Lever, ATX External (F3 Cast #) 1984-86	1	TBA
992	86627B	Shift Lever, ATX External (F6 Cast #) 1987-Up	1	TBA
995	86451	Park Pawl Assembly, ATX 1981-UP	1	TBA

Notes

Lined area for notes, consisting of multiple horizontal lines.