



# TOYOTA & LEXUS

## A440F, A442F





# TOYOTA & LEXUS

## A440F, A442F

ILL#	Part#		QTY	REF#
<b>OVERHAUL KITS</b>				
NI.....	K94900T.....	Overhaul Kit, A440F W/Out Transfer Case Parts 10/85-8/92.....	1.....	N/A
NI.....	K94900B.....	Overhaul Kit, A440F With Transfer Case Parts(Landcruiser & Samurai) 10/85-8/92.....	1.....	N/A
NI.....	K94900E.....	Overhaul Kit, A442F With Transfer Case Parts 8/92-1/95.....	1.....	N/A
NI.....	K94900.....	Overhaul Kit, A440F Transfer Case & PTO Only, 10/85-8/92.....	1.....	N/A
NI.....	K94900F.....	Overhaul Kit, A442F Transfer Case Only, 8/92-1/95.....	1.....	N/A
<b>MASTER L/STEEL KITS</b>				
NI.....	DK9400AS.....	Master L/Steels Kit, A440F W/Out Transfer Case Parts 1985-92.....	1.....	N/A
NI.....	DK9400BS.....	Master L/Steels Kit, A440F With Transfer Case Parts 10/85-8/92.....	1.....	N/A
NI.....	DK9400ES.....	Master L/Steels Kit, A442F With Transfer Case Parts 8/92-1/95.....	1.....	N/A
<b>MASTER W/STEELS KITS</b>				
NI.....	DK9400A.....	Master W/Steels Kit, A440F W/Out Transfer Case Parts 1985-92.....	1.....	N/A
NI.....	DK9400B.....	Master W/Steels Kit, A440F With Transfer Case Parts 10/85-8/92.....	1.....	N/A
NI.....	DK9400B.....	Master W/Steels Kit, A442F With Transfer Case Parts 8/92-1/95.....	1.....	N/A
<b>FILTERS</b>				
010.....	94710.....	Filter, A440F (5/8" Thick) 1985-95.....	1.....	35330-60011
010.....	94710A.....	Filter, A440F (2" Thick) 1985-95.....	1.....	35303-60010
010.....	94710B.....	Filter, A442F 1993-95.....	1.....	35330-60010
<b>BUSHINGS</b>				
030.....	K94000.....	Bushing Kit, A440 (8 Bushings) 1985-95.....	1.....	TBA
034.....	94005.....	Bushing, A440F/A442F Pump Body 1985-95.....	1.....	TBA
044.....	94420.....	Caged Bearing, A440F/A442F 2nd Brake Support To Sun Gear 1985-95 (Use 141260A).....	1.....	TBA
<b>METAL CLAD SEALS</b>				
070.....	94151.....	Seal, A440F/A442F Front Pump 1985-95.....	1.....	90311-42010
072.....	78197.....	Seal, A440F/A442F Manual Lever Shaft 1985-95.....	2.....	90311-12002
074.....	94152.....	Seal, A440F/A442F Extension Housing 1985-95.....	1.....	90311-48016
078.....	89157.....	Seal, A440F/A442F Speedometer Gear Shaft 1985-95.....	1.....	90310-09001
NI.....	94153.....	Seal, Output Shaft Retainer (A440F).....	1.....	90311-48010
<b>FRICIONS</b>				
100.....	94100.....	Friction, A440F OD Brake Clu (.083") (70T) 1985-92 (Also 2nd Brake Clu, 1985-95).....	3-8.....	35633-36060
100.....	94100A.....	Friction, A442F Overdrive Brake Clutch (.083") (75 Teeth) 1993-95.....	3.....	35633-36050
102.....	94102.....	Friction, A440F/A442F OD Direct Clu (.083") (46T) 1985-95 (Also Fwd & Dir, 1985-95).....	14-15.....	35633-60040
104.....	94100.....	Friction, A440F/A442F 2nd Brake Clutch (.083") (70 Teeth) 1985-95.....	4-5.....	35633-36060
106.....	94102.....	Friction, A440F/A442F Direct Clutch (.083") (46 Teeth) 1985-95.....	5.....	35633-60040
108.....	94102.....	Friction, A440F/A442F Forward Clutch (.083") (46 Teeth) 1985-95.....	6-7.....	35633-60040
114.....	94104.....	Friction, A440F/A442F Low / Reverse Clutch (.067") (70 Teeth) 1985-95.....	6.....	35633-60030
119.....	K94BF.....	Friction, Module, A440F, 1985-92.....	1.....	TBA
119.....	K94EF.....	Friction, Module, A442F, 1993-95.....	1.....	TBA
<b>STEELS</b>				
120.....	94105.....	Steel, A440F OD Brake Clu (.094") (6T) (6.00" ID)1985-92 (Also 2nd Brake Clu 85-90).....	3-10.....	35632-60010
120.....	94105C.....	Steel, A442F OD Brake Clu (.078") (6T) 1993-95 (Also 440F/A442F 2nd Brake Clu 91-95.....	3-10.....	35632-60040
120.....	94105B.....	Steel, A442F Overdrive Brake Clutch (.157") (6 Teeth) 1993-95.....	1.....	35632-60020
120.....	94105A.....	Steel, A440F Overdrive Brake Clutch (.094") (6 Teeth) (6.400" ID) 1985-Up.....	3-10.....	TBA
122.....	94101.....	Steel, A440F/A442F OD Direct Clu (.071") (10T) 1985-95 (Also Fwd & Dir 1985-95).....	6-18.....	35634-36010
122.....	94101C.....	Steel, A440F/A442F OD Direct Clu (.078") (10T) 1985-95 (Also Fwd & Dir 1985-95).....	AR.....	35634-36040
122.....	94101A.....	Steel, A440F/A442F OD Direct Clu (.087") (10T) 1985-95 (Also Forward 1985-95).....	AR.....	35634-36050
122.....	94101B.....	Steel, A440F/A442F OD Direct Clu (.095") (10T) 1985-95 (Also Forward 1985-95).....	AR.....	35634-36020
124.....	94105.....	Steel, A440F 2nd Brake Clutch (.094") (6 Teeth) 1985-90.....	7.....	35632-60010
124.....	94105C.....	Steel, A440F/A442F 2nd Brake Clutch (.078") (6 Teeth) 1991-95.....	7.....	35632-60040
126.....	94101.....	Steel, A440F/A442F Direct Clutch (.071") (10 Teeth) 1985-95.....	6.....	35634-36010
128.....	94101.....	Steel, A440F/A442F Forward Clutch (.071") (10 Teeth) 1985-95.....	6.....	35634-36010
128.....	94101C.....	Steel, A440F/A442F Forward Clutch (.078") (10 Teeth) 1985-95.....	AR.....	35634-36040
128.....	94101A.....	Steel, A440F/A442F Forward Clutch (.087") (10 Teeth) 1985-95.....	AR.....	35634-36050
128.....	94101B.....	Steel, A440F/A442F Forward Clutch (.095") (10 Teeth) 1985-95.....	AR.....	35634-36020
134.....	94103.....	Steel, A440F Low / Reverse Clutch (.071") (16 Teeth) 1985-92.....	6.....	35632-36020
134.....	94103A.....	Steel, A442F Low / Reverse Clutch (.095") (16 Teeth) 1993-95.....	6.....	35632-36030
134.....	94103B.....	Steel, A442F Low / Reverse Clutch (.110") (16 Teeth) 1993-95.....	6.....	TBA
135.....	94965.....	Cushion Steel, A440F/A442F Low / Reverse Clutch (.100") (8 Teeth) 1985-95.....	1.....	TBA
135.....	94964.....	Cushion Steel, A440F/A442F Forward (Front Clutch) 1985-95.....	1.....	TBA
<b>PRESSURE PLATES</b>				

ILL#	Part#		QTY	REF#
140.....	94715A.....	Pressure Plate, A440F/A442F Overdrive Brake Clutch (Top) (.195") (6 Teeth) 1985-95.....	1.....	35676-60010
142.....	94716A.....	Pressure Plate, A440F/A442F Overdrive Direct Clutch (Top) (4 Teeth) 1985-95.....	1.....	TBA
144.....	94717A.....	Pressure Plate, A440F/A442F 2nd Brake Clutch (Top) (.198") (6 Teeth) 1985-95.....	1.....	TBA
146.....	94719A.....	Pressure Plate, A440F/A442F Direct Clutch (Top) (.211") (4 Teeth) (Cast # 2) 1985-95.....	1.....	35675-60010
148.....	94720A.....	Wavy Steel, A440F/A442F Forward Clutch (.078") (10 Teeth) 1985-95.....	1.....	35634-36010
154.....	94721A.....	Pressure Plate, A440F/A442F Low / Reverse Clutch (Top) (.260") (8 Teeth) 1985-95.....	1.....	TBA
154.....	94721B.....	Pressure Plate, A440F/A442F Low / Reverse Clutch (Top) (.276") (8 Teeth) 1985-95.....	1.....	TBA
<b>SEALING RINGS</b>				
175.....	K94903.....	Ring Kit, A440F/A442F 1985-95.....	1.....	TBA
<b>WASHERS &amp; BEARINGS</b>				
210.....	94431A.....	Race, A440 Stator To Drum (1.685" OD)(.025" Thick).....	1.....	35789-36050
210.....	94431AA.....	Race, A440 Stator To Drum (1.685" OD)(.034" Thick).....	1.....	TBA
210.....	94431AB.....	Race, A440 Stator To Drum (1.685" OD)(.049" Thick).....	1.....	TBA
211.....	94421A.....	Bearing W/Race, A440F Stator To Drum (1.885" OD).....	1.....	90374-32005
217.....	94422A.....	Bearing W/Race, A440F Overdrive Planet To Hub (1.642" OD).....	1.....	34738-36010
220.....	94401A.....	Washer, A440F Overdrive Sprag (57 Teeth) (.056").....	1.....	TBA
219.....	94423A.....	Caged Needle Bearing, A440F Overdrive Support To Forward Drum Shaft (1.300" OD).....	1.....	TBA
225.....	94432A.....	Cup Race, A440F Supp To Fwd Drum (2.045" OD) (Also Fits Fwd Clu Hub Front & Rear).....	1-3.....	35789-36020
226.....	94423A.....	Bearing, A440F Support To Forward Drum (2.039" OD) (.077" Thick).....	1.....	90374-34001
227.....	94433A.....	Race, A440F Support To Forward Drum (Top Hat) (1.970" OD).....	1.....	TBA
228.....	94444A.....	Shim, A440F Support To Forward Drum (.039").....	1.....	TBA
228.....	94444AA.....	Shim, A440F Support To Forward Drum (.049").....	1.....	TBA
228.....	94444AB.....	Shim, A440F Support To Forward Drum (.059").....	1.....	TBA
228.....	94444AC.....	Shim, A440F Support To Forward Drum (.069").....	1.....	TBA
231.....	94434A.....	Cup Race, A440F Forward Drum To Forward Hub (Use 141225A).....	1.....	TBA
232.....	94424A.....	Brg & Race, A440F Fwd Drum To Hub & Fwd Drum To Dir Drum (2.038" OD) (.110" Thk).....	1-2.....	90374-32005
234.....	94425A.....	Bearing & Race, A440F Forward Hub To Direct Drum (Use 141232A).....	1.....	TBA
235.....	94435A.....	Cup Race, A440F Forward Hub To Direct Drum (Use 141225A).....	1.....	TBA
237.....	94402A.....	Washer, A440F Front Planet-Front (.070" Thick) 2 Tab.....	1.....	TBA
239.....	94445A.....	Shim, A440F 2nd Brake Support To Front Planet (4 Inner Tabs-Steel).....	1.....	35737-60011
245.....	94403A.....	Washer, A440F Front To Rear Planet Plastic (4.050" OD) (4 Tab).....	1.....	35738-60020
246.....	94426A.....	Bearing & Race, A440F Rear Sun gear To Hub (2.084" OD) (.108" Thick).....	1.....	TBA
260.....	94427A.....	Caged Bearing, A440F 2nd Brake Support To Sun Gear (1.300" OD) (.585" Thick).....	1.....	TBA
263.....	94428A.....	Ball Bearing, A440F Case To Output Shaft (2.950" OD) (1.770" ID).....	1.....	TBA
264.....	94436A.....	Race, A440F Presses In Case (3.165" OD) (.878" Thick).....	1.....	TBA
265.....	94429A.....	Ball Bearing, A440F Extension Housing (1.574" ID).....	1.....	TBA
266.....	94446A.....	Spacer, A440F Output Shaft (.204" Thick) (1.967" OD) (1.581" ID).....	1.....	TBA
272.....	94447A.....	Shim, A440F Output Shaft (.063").....	1.....	TBA
<b>GASKETS &amp; RUBBER COMPONENTS</b>				
300.....	94500.....	Pan Gasket, A440F/A442F Bottom 1985-95.....	1.....	35168-36010
326.....	94505.....	Gasket, A440F Filter 1985-92.....	1.....	35339-60020
<b>TECHNICAL MANUALS</b>				
400.....	CDA440.....	Technical Manual(CD), A440F/A442F 1985-95.....	1.....	TBA
<b>ELECTRICAL COMPONENTS</b>				
410.....	94991.....	Switch, A440F External (2 Bolt) 10 Wire (28 1/2" Wire Harness).....	1.....	TBA
437.....	94998.....	Sensor, A440F Screw In (Brass) 18" Harness (1 Wire Type) (By The Cooler Fittings).....	1.....	TBA
446.....	94986.....	Wire Harness, A440F Internal/External (1 Connector, 2 Wire).....	1.....	TBA
<b>HARD PARTS</b>				
500.....	94911.....	Pump, A440F (With 28 Teeth Inner Gear).....	1.....	TBA
500.....	94911A.....	Pump, A440F (With 11 Teeth Inner Gear) (.470" Thick).....	1.....	TBA
500.....	94911B.....	Pump, A440F (With 11 Teeth Inner Gear) (.720" Thick).....	1.....	TBA
510.....	94912.....	Pump Body, A440F (With 28 Teeth Inner Gear).....	1.....	35035-36010
510.....	94912A.....	Pump Body, A440F (With 11 Teeth Inner Gear) (.470" Thick).....	1.....	35035-60010
510.....	94912B.....	Pump Body, A440F (With 11 Teeth Inner Gear) (.720" Thick).....	1.....	TBA
520.....	94913.....	Stator, A440F (Used With 28 Teeth Inner Pump Gear) (2.005" Diameter Ring Tower).....	1.....	35308-36010
520.....	94913A.....	Stator, A440F (Used With 11 Teeth Inner Pump Gear) (2.005" Diameter Ring Tower).....	1.....	35308-60020
<b>HARD PARTS</b>				
551.....	94975.....	Drum, A440F Overdrive Direct (10 Teeth Steels) Cast Iron (35 Teeth Sun Gear).....	1.....	TBA
554.....	94978.....	Drum, A440F Forward W/Out PTO Gear (.930" Diameter Splines).....	1.....	35701-60010
555.....	94972.....	Drum, A440F Direct Clutch (10 Teeth Steels) (1 1/2" Long Outer Splines).....	1.....	35651-36010
574.....	94741.....	Hub, A440F Forward Clutch (20 Inner Splines) (2.140" Tall).....	1.....	35631-36010
575.....	K94741.....	Pressure Plate & Hub, A440F Forward Clutch (Top) (10 Teeth) (42 Splines).....	1.....	35654-36011

# TOYOTA & LEXUS

## A440F, A442F

ILL#	Part#		QTY	REF#
580	94977	Planet, A440F Overdrive (35 Teeth Sun Gear) (46 Teeth Friction Splines)	1	34710-36010
582	94973	Planet, A440F Forward (Left Angled Cut Gears) (8 Holes In Sprag Race)	1	35720-60010
584	94976	Planet, A440F Rear (Angled Cut Gears) (2.351" Thick)	1	35760-60010
590	94759	Ring Gear, A440F Overdrive Planet (89 Teeth) (Right Angle) (1.538" Wide)	1	34731-36010
592	94757	Ring Gear, A440F Forward Planet (3.205" Thick) (Right Angled Teeth)	1	35743-60010
594	94758	Ring Gear, A440F Rear Planet (1.420" Thick) (Angled Teeth)	1	TBA
600	94742	Hub, A440F Overdrive Planet (89 Teeth) (20 Spline)	1	TBA
604	94743	Hub, A440F Rear (20 Splines) (82 Angled Teeth On OD)	1	35761-60010
612	94989	Sun Gear, A440F Forward (28 Angled Teeth) (5.084" Long)	1	35706-60011
614	94990	Sun Gear, A440F Rear (44 Angled Teeth No Groove) (1.043" Thick)	1	TBA
630	94988	Support, A440F Overdrive Brake (4 3/16" Tall) (Aluminum)	1	34101-60010
632	94983	Support, A440F 2nd Brake (3 7/16" Tall) (Aluminum)	1	35709-36010
<b>SPRAGS &amp; ONE WAY CLUTCHES</b>				
650	94728	Sprag, A440F Overdrive (22 Elements) (.610" Wide)	1	35791-36010
652	94727	Sprag, A440F Low (46 Elements) (6 3/16" OD) (.808" Wide)	1	35790-36010
661	94730B	Outer Race, A440F Overdrive Sprag (57 Teeth) (2.810" ID)	1	34713-36010
663	94730C	Outer Race, A440F Low Sprag (16 Lugs) (1.145" Thick) (6 1/8" OD)	1	TBA
<b>SHAFTS &amp; GOVERNORS</b>				
672	94979	Input Shaft, A440F (8 1/8" Long)	1	35713-36011
678	94980	Output Shaft, A440F 4WD (7 1/2" Long)	1	35073-60010
680	94615	Governor, A440F (8 Bolt) (Aluminum)	1	TBA
690	94824A	Park Gear, A440F (18 Lugs) (3 Ring Grooves) (8 Bolt Governor)	1	TBA
691	94640	Retainer, A440F (5 Bolt) 4.805" OD (2.435" ID)	1	TBA
694	94641	Retainer, A440F Sprag (6 Tabs) (6 5/8" OD)	1	TBA
<b>VALVE BODIES &amp; COMPONENTS</b>				
740	94987	Valve Body, A440F (1 Switch)	1	TBA
746	94752	Plate, A440F Accumulator (10 Holes)	1	TBA
<b>HOUSINGS, CASES, PISTONS &amp; MISCELLANEOUS</b>				
750	94895	Bell Housing, A440F Closed Stator At 9:30 (No Case Dowel Pins)	1	TBA
760	94981	Case, A440F (NO PTO) Top Mount (Has Governor Bore)	1	TBA
765	94801	Pan, A440F (20 Bolts) Front Passenger Side Filler Tube	1	TBA
770	94982	Extension Housing, A440 4x4 (4.625" Long) 6 Bolts To Transfer Case (Cast Iron)	1	TBA
770	94982A	Extension Housing, A440 4x4 (4.180" Long) 6 Bolts To Transfer Case (Cast Iron)	1	TBA
860	K94928	Kit, Snap Ring, A440	1	TBA
925	K94996	Accumulator Assembly, A440F B-O Accumulator	1	TBA
930	K94996A	Accumulator Assembly, A440F C-2 Accumulator	1	TBA
936	94621	Spring, A440F C-1 Accumulator (3.535" Long)	1	TBA
937	94996	Piston, A440F C-1 Accumulator (2.495" Long)	1	TBA
939	94622	Cover, A440F C-1 Accumulator (4 Bolt) (Aluminum)	1	TBA
950	K94996B	Accumulator Assembly, A440F B-2 Accumulator	1	TBA
960	94762	Piston, A440F Overdrive Brake (1.480" Thick)	1	35621-36010
961	94762A	Piston, A440F Overdrive Direct clutch (24 Springs) (2.160" ID)	1	TBA
962	94763	Piston, A440F 2nd Brake (1.480" Thick) (5.735" ID)	1	TBA
964	94764	Piston, A440F Forward Clutch (22 Spring Pockets) (4.985" OD)	1	35602-36010
965	94765	Piston, A440F Direct Clutch (.790" Thick) 22 Splines (4.672" OD)	1	35606-36010
967	94766	Piston, A440F Low / Reverse (1 1/2" Thick) (6 7/8" OD)	1	TBA
970	94862	Spring Retainer, A440F Overdrive Clutch (6 15/16" OD) (Also Fits 2nd Brake Clu)	1-2	TBA
971	94862A	Retainer, A440F Overdrive Direct Clutch (24 Springs) (3.380" OD)	1	TBA
972	94863	Spring Retainer, A440F 2nd Brake Clutch (Use 141970A)	1	TBA
974	94864	Retainer, A440F Forward Clu (22 Spring) (3.332" OD) (Also Fits Direct Clu Retainer)	1-2	TBA
975	94865	Retainer, A440F Direct Clutch (Use 141974A)	1	TBA
977	94866	Spring & Retainer, A440F Low / Reverse (36 Springs, 5" OD) (3 5/8" OD)	1	TBA
991	K94623	Linkage Assembly, A440F Internal	1	TBA
994	94624	Park Rod, A440F (.315" OD) (17" Long)	1	TBA
995	K94625	Park Pawl Assembly, A440F (3 Pieces)	1	TBA
996	K94627	Fitting Set, A440F Cooler Line (Elbow Type)	1	TBA

